



• HSOP-6J

Unit: mm

PACKAGE DIMENSIONS




TAPING SPECIFICATION



TAPING REEL DIMENSIONS REUSE REEL (EIAJ-RRM-12Bc)

(1reel=1,000pcs)



### POWER DISSIPATION (HSOP-6J)

This specification is at mounted on board. Power Dissipation ( $P_D$ ) depends on conditions of mounting on board. This specification is based on the measurement at the condition below:


Measurement Conditions

|                  | High Wattage Land Pattern                | Standard Land Pattern                    |
|------------------|--|--|
| Environment      | Mounting on Board (Wind velocity=0m/s)   | Mounting on Board (Wind velocity=0m/s)   |
| Board Material   | Glass cloth epoxy plastic (Double sided) | Glass cloth epoxy plastic (Double sided) |
| Board Dimensions | 50mm × 50mm × 1.6mm                      | 50mm × 50mm × 1.6mm                      |
| Copper Ratio     | 90%                                      | 50%                                      |
| Through-holes    | φ0.5mm × 24pcs                           | φ0.5mm × 24pcs                           |


Measurement Results

( $T_{opt}=25^{\circ}C, T_{jmax}=125^{\circ}C$ )

|                    | High Wattage Land Pattern | Standard Land Pattern | Free Air |
|--------------------|---------------------------|-----------------------|----------|
| Power Dissipation  | 2000mW                    | 1700mW                | 540mW    |
| Thermal Resistance | 50°C/W                    | 59°C/W                | 185°C/W  |



Power Dissipation



High Wattage  
Standard  
Measurement Board Pattern

○ IC Mount Area (Unit: mm)


The above graph shows the Power Dissipation of the package based on  $T_{jmax}=125^{\circ}C$  and  $T_{jmax}=150^{\circ}C$ .

Operating the IC in the shaded area in the graph might have an influence it's lifetime.

Operating time must be within the time limit described in the table below, in case of operating in the shaded area.

| Product Name | Operating time | Estimated years<br>(Operating four hours/day) |
|--------------|----------------|---|
| RP131S       | 1,500 hrs      | 1 years                                       |

### RECOMMENDED LAND PATTERN



(Unit: mm)